



CONTINUOUS BAND SEALER SS (Horizontal)



Voltage	220 V / 50HZ
Power	650W
Sealing Width	8~10
Sealing Speed	0~12 (0-16)
Temperature Range	0~300°C
Film Thickness (mm)	0.08
Conveyor Size (L x W)mm	840X153
Max. Conveyor Loading	3 Kg
Dimension	840 x 380 x 550
Net Weight	32Kg



CONTINUOUS BAND SEALER SS (Vertical)



Voltage	220 V / 50HZ
Power	650W
Sealing Width	8~10
Sealing Speed	0~12 (0-16)
Temperature Range	0~300
Film Thickness (mm)	0.08
Conveyor Size (L x W)mm	840X153
Max. Conveyor Loading	3 Kg
Dimension	840 x 380 x 550
Net Weight	37Kg



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

CONTINUOUS BAND SEALER MS (Horizontal)



Voltage	220 V / 50HZ
Power	650W
Sealing Width	8~10
Sealing Speed	0~12 (0-16)
Temperature Range	0~300°C
Film Thickness (mm)	0.08
Conveyor Size (L x W)mm	840X153
Max. Conveyor Loading	3 Kg
Dimension	840 x 380 x 550
Net Weight	32Kg



CONTINUOUS BAND SEALER MS (Vertical)



Voltage	220 V / 50HZ
Power	650W
Sealing Width	8~10
Sealing Speed	0~12 (0-16)
Temperature Range	0~300
Film Thickness (mm)	0.08
Conveyor Size (L x W)mm	840X153
Max. Conveyor Loading	3 Kg
Dimension	840 x 380 x 550
Net Weight	37Kg



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

10 Kg Band Sealer



Model	UM1100
Voltage	110V / 220V 50-60HZ
Power	1235W
Sealing Speed	0-12m/min
Sealing Width	6-12mm
Temperature Range	0~300C°
Max. Conveyor Loading	10Kg
Printing Category	Steel Wheel Printing
Machine Size	1243*580*1228mm
Net Weight	42Kg



Automatic Tray Sealing Machine



Brand	Universal Machines
Tray Size	190x140mm
Capacity	700-800 Tray/Hr.
Power	3KW, 380V
Frequency	50Hz
Weight	650Kg

Manual Tray Loading

Automatic Sealing and Cutting

Single/ Double Sealing



Electro Magnetic Induction Capper



Model	UMIS-100
Voltage (V/HZ)	AC 220/50HZ
Power (W)	500
Heal Diameter (mm)	20-135
Vessel Height	Absolutness
Dimensions (LxWxH) (mm)	340x290x150
Weight (Kg)	5
Capacity	0-50Pcs/min



Continuous Electro Magnetic Induction Capper



Voltage (V/HZ)	AC 220/50 \pm 10%, 50HZ
Power (w)	2000
Sealing Diameter (mm)	Φ 20- Φ 130
Available Height (mm)	40-400
Sealing Speed(mm)	2-12m/min (Bottle size, Material, Sealing Membrane)
Conveyor Unit Bearing Load (kg)	20
External Dimensions (LxWxH) (mm)	1150X480X400
Net Weight (KG)	38



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Electric Can Sealing Machine



Model	UM CS150
Production Capacity	25 Times/Min.)
Sealing Speed	10-25 pcs/min
Sealing Width	39-150mm
Power Consumption	150 W
Maximum Size Of Height (mm)	200
Minimum Size of Height (mm)	39
Material	Iron
Panel	PCB
Net Weight	70Kg



Foot Sealer



Sealing Width (mm)	5
Sealing Length (mm)	450
Input Voltage (V/HZ)	220/50
Heating Time (sec)	0~2.5
Impulse Power (W)	1250
Case Size (mm)	550x520x880
Weight (KG)	21



Pneumatic Pet Strapping Machine



Strap Width (mm)	13-19 adjustable
Strap Thickness (mm)	1.0-1.5
Weight (kg)	3.8
Size (LxWxH) (mm)	275x115x130
Tension (kg)	200
Type of Seal	Friction Weld
Pressure	5-7 Bar
Strap Material	PET/PP
Battery	N/A
Net Weight	3.8kg



Semi Automatic Strapping Machine



Strapping Speed (second)	1.5
Strap Width (mm)	6-15
Strap Force (Newton)	450
Working Table Height (mm)	750
Table Top Thickness (mm)	2.5
Housing	Iron Roller
Micro Switch	Huida
Power Source (V/Hz)	220 / 50, 1/4 HP
External Dimension (mm)	900x580x750/500
Net Weight	100 kg



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Vaccum Packing Machine (Single Chamber)



Model	UM VP400*
Chamber	Single (Fibre Top)
Voltage (V/HZ)	220/50
Sealing Power (W)	500
Sealing Width (mm)	10
Sealing Positon Of Vaccum Chamber	2
Volume Chamber Bulk (LxWxH) mm	440X420X100
Dimensions (LxxWxH) mm	540X480X1010
Weight (KG)	110



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Vaccum Packing Machine (Double Chamber)



Model	UMVP 400/2SB*
Chamber	Double (SS Hud)
Voltage (V/Hz)	440/50
Vaccum Pump Power (w)	1500
Sealing Power (W)	500
Sealing Width	10
Volume Chamber Bulk (LxWxH) (mm)	510x500x150
Sealing Length (mm)	400
Dimension (LxWxH) mm	1070x685x930
Material For Vaccum Case	Stainless Steel
Weight (Kg)	180



Label Shrink Packaging Machine



Model	UM 1538L
Voltage	220 V / 50-60HZ
Power	8KW
Tunnel Size (LxWxH) mm	1000x150x380
Conveyor Motor	AC 90W/220V
Conveyor Speed	0~10m/min
Maximum Loading	15Kg
Shrink Film	POF,PVC,PP
Dimension (mm)	1500x350x1500
Weight	96Kg



Shrink Tunnel (4525)



Voltage (V/HZ)	220 /50-380/50
Power (KW)	6.5
Tunnel Size (WxH) mm	450 x 250
Conveyor Loading (Kg)	10
Heating Furnance (LxWxH)mm	900x450x50-200*
External Dimensions (LxWxH)mm	1200x650x1240*
Speed (m/min)	0~10
Heating Time (minutes)	10
Cooling Time (minutes)	15
Net Weight (kg)	90



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Round Bottle with Labelling Machine



Model	UM RBL
Efficiency	≤50pcs/min. (according to size)
Precision	±1mm
Applicable Bottles of Diameter	Φ10-130mm
Label Size	Width 8-150 mm
Label Roll	Length 15-210mm External Diameter 300mm Internal Diameter 75mm
Power Supply	220v, 50HZ 120W
Weight (Kg)	20Kg



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Dry Ink Batch Coder



Model	UMBC600
Voltage (V/HZ)	220/50
Power (W)	180
Printing Speed (pcs/min)	100
Object Size (mm)	L:50-500, W:30~300
Printing Type	Solid Ink Coding
Dimension (LxWxH) (mm)	440x465x300
Weight (kg)	26



Box Stretch Wrapping Machine without Top Press



Model	UMBW 600
Turntable Speed	3-20 rpm/min
Diameter	20 inch
Size of Roll	20 inches
Working Height	840 mm
Electrical Requirement	220V/50HZ
Film Carriage	Stretch Type
Power	2KW
Turntable Loading	0-100 kg
Machine Weight	165 kg



Box Stretch Wrapping Machine



Model	UMBW 600 (PLC BASED)
Max. Wrapping Size (LxWxH)	600x600x600 mm
Wrapping Efficiency (Loads/Hour)	20-40
Turntable Speed (RPM/MIN)	3-20
Turntable Diameter (mm)	H:600
Turntable Loading (max) (kg)	50
Power	220/50
Film Carriage	Pre-Stretch Type
Dimensions (mm)	600x4170x1800
Top Plate Device	Pneumatic Type Top Plate
Weight	260



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Handheld Inkjet Printer



Printing Height	12-7mm
Printing Distance	2-5mm
Printing Content	Text, Time
Printing Speed	70m/min
Ink Colour	Black, Blue, Red
Power Consumption	Less than 5W
Dimension	120x100x240mm
Net Weight	0.08kg



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Batch Coding Conveyor



Printing Speed Max	60m/min
Printing Accuracy	600DPI
Printing Height	2-12.5mm
Printing Code	Bar Code,QR Code,DM Code etc
Printing Content	Text,Data,Number,Count Number Code etc
Printing Material	Card Board,Carton, Paper,Stone etc
External Interface	USB Photoelectric Interface
Storage	Printer Itself or Tranfer to USB Disk



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Automatic Four Head Paste & Liquid Filling Machine



Brand	Universal Machines
Capacity	1200 Bottles/Hr.
Voltage	220V/50-60HZ
Power	800W
Material	Stainless Steel
Automation Grade	Fully Automatic
Filling Volume	100-1000MI
Type	Volumetric Filling Machine
Conveyor Length	2m



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Manual Paste Filling Machine



Model	UM MPF-50
Filling Range (ml)	5-50
Efficiency (Bottle/hour)	400-500
Hopper Capacity	10 L
Net Weight (Kg)	13
External Dimensions (mm)	270*270*700



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Digital Liquid Filling Machine



Voltage Power

110V-220 V/50-60HZ 40W

Maximum Runoff

2000ml/m (Water)

Filling Range

5ml-2000ml

Optimal Filling Range

5ml-1000ml

Filling Precision

2%



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Powder & Granule Filler



Model	UM PGF999
Voltage	220 V / 50HZ
Packaging Range	10-999G
Packaging Accuracy	±3g
Dimensions(LxWxH)	300x500x1250 mm
Packaging Speed	About 5-12 bags/min (Depending upon material)
Power	50 W
Material	Stainless Steel



Powder & Granule Filler



Model	UM PGF 200
Voltage	220 V / 50HZ
Packaging Range	10-200G
Packaging Accuracy	±1g
Dimensions(LxWxH)	500x370x810 mm
Packaging Speed	About 5-12 bags/min (Depending upon material)
Power	50 W
Material	Stainless Steel



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Electric Deep Fryer



Brand	Universal Machines
Material	Stainless Steel
Color	Steel
Dimensions	27D x 40W x 28H Centimeters
Power	2.5KW
Weight	6Kg

Large Frying Basket with a capacity of 6ltr Oil

Adjustable Temperature Controls For Customizable Frying

Removable Oil Container for Easy Cleaning



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Potato Peeler



Brand	Universal Machines
Voltage	220V/380V
Power	750 W
Capacity	15-20Kg (at a time)
Material	Stainless Steel
Usage	Peeling
Dimension (LxWxH)	670x460x850mm
Weight	53Kg
Function	Vegetable Peeler



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Rice Steamer



Material	Stainless Steel
No. Of Tray	12 Tray
No. Of Door	Single Door
Cooking Capacity	30Kg/Batch
Gas Consumption	0.62 (m ³ /H)
Power	12 KW,380V
Usage	Commerical



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Vegetable and Fruits Washing & Peeling Machine



Capacity	400-500 Kg/Hr
Power	1.5KW/380V
Motor	Crompton
Discharge	Manual

Suitable for Root Vegetables, Potatoes, Onions, Carrots, Ginger etc.

With Overload Protection

With Brush & Emery Rollers



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Bowl Chopper



Power	5.5Kw
Capacity	20-30 (Kg/Batch)
Blade	3 Pcs
Rotating High Speed	2850(r/min)
Rotating Low Speed	1450(r/min)
Weight	460Kg



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Roots Vegetables Shredding Machine



Brand	Universal Machines
Material	Stainless Steel
Color	Silver
Voltage	220/380V
Capacity	300-400Kg/Hr
Power	0.75Kw
Cutting Shapes	Slice, Strip, Cube
Weight	70Kg



Vibro Shifter



Screen Size (mm)	1200
Screening Area cm ²	11700
Motor	2HP
Height Of Bottom Discharge	
“A” mm	480
Total Height “B” mm	
Single Deck	950
Double Deck	1080



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Multifunction Vegetable Cutting Machine



Model	UM200	UM300
Capacity	100-300Kg/Hr.	300-800Kg/Hr.
Power	1HP/50Hz/1400RPM	2HP/50HZ/1400RPM
Conveyor Width	200mm ,	300mm
Motor	Crompton Grieves, Havells	
Blade	High Carbon Steel	
Cutting Shape	Slicing, Cubbing, Finger, Juliet	
Suitable For	All Leaf & Roots Vegetables	



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Vegetable Cubbing Machine



Model	UM 1500
Voltage	220V/380V
Power	1.5KW
Brand	Universal Machines
Capacity	700-1000Kg/Hr
Dimension	1740*1270*1460mm
Weight	280Kg
Cutting Thickness	5-20mm
Application	Roots Vegetable, Fuits



Hydraulic Hand Pallet Truck



Model	UM PT2.5
Capacity (Kg)	2500
Min. Fork Height (mm)	85
Max. Fork Height (mm)	195
Lifting Height (mm)	110
Fork Length (mm)	1150
Single Fork Width (mm)	160
Fork Overall Width (mm)	550
Fork Wheel Single (mm)	80x93
Fork Wheel Tandem (mm)	180x50
Weight (Kg)	80



Multifunction Vegetable Cutting Machine



Power	3KW,220V
Capacity	300-500Kg/Hr
Dimension	1170x560x1280mm
Cutting Shape	Slice,Dice,Chopping and Julienne cut with conveyor

Suitable For root & Leafy Vegetable

With Two Variable Frequency Drives for Conveyor and
Cutting Speed

Variable Cutting Size



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Vegetable & Fruit Pulper



Size	36 inch
Capacity	1000 Kg/hr
Power	5HP/3Phase
Motor	Crompton
Brush Type	Nylon
Automation Grade	Semi Automatic
Suitable For	Tomato, Mango, Carrot, Litchi Etc.
Material	Complete Of Stainless Steel



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Spiral Dough Mixer



Voltage	400
Weight	551.2(lb)
Cycle	50
Phase	3
Width	575 mm
Depth	1020 mm
Height	980 mm
Bowl Capacity	75 L
Capacity per Operation	60Kg



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Drum Stacker & Tilter



Model	UM DS0.35
Capacity (Kg)	350
Max. Lifting Height (mm)	1600
Lifting Speed (mm/stroke)	20
Lowering Speed (mm/stroke)	Controllable
Front Wheel Size (mm)	φ85x50
Rear Wheel Size (mm)	Φ180x50
Overall Size (mm)	1190x890x2000mm
Weight (Kg)	160



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Hydraulic Hand Stacker




Model	UM 2.0
Capacity (KG)	2000
Max. Lifting Height (mm)	1600
Lowered Height Of Forks (mm)	85
Fork Length (mm)	900/1150
Adjustable Width of Fork (mm)	270-680
Lifting Speed (mm/Stroke)	14
Lowering Speed (mm/stroke)	Controllable
Outer width Of front Legs (mm)	750
Machine Weight (Kg)	180



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Dumpling Wrapper Machine



Brand	Universal Machines
Application	Used to Make Momo In Bulk
Capacity	3600 Pcs/Hr.
Automation Grade	Semi Automatic
Material	Mild Steel
Voltage	480V
Frequency	65Hz
Power	3HP
Dimension LxW	2x1 Ft.



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Soya Beans Milk Grinder



Model	UM100	UM130	UM150
Capacity	20Kg/Hr.	40-50Kg/Hr.	80-100Kg/Hr.
Power	1HP	2HP	3HP
Input	220V/50Hz	220V/50Hz	220V/50Hz
Hopper Capacity	20Kg	30Kg	40Kg
Weight	23Kg	40Kg	50Kg



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Sweet Corn Peeling



Brand	Universal Machines
Model	UM168L
Power	2KW
Voltage	220/380V
Output	500-600Kg/Hr
Dimension	1250X600X1250mm



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Colloid Mill (Nuts Grinding Machine)



Brand	Universal Machines
Model	UM120
Use For	Cashew, Almond, Peanut, Pistachios, Apricots, Hazelnuts
Power	10HP
Voltage	3Phase/50Hz
Output	150-200Kg/Hr.
Hopper Capacity	20Kg
With Head Colling Arrangement	

MOC SS 304



Universal Machines

A HOUSE OF PACKAGING AND FOOD PROCESSING MACHINES

Follow Us:



[Whatsapp Page](#)



[Facebook Page](#)



[Instagram Page](#)



[Youtube Channel](#)